

# Table of Contents

- 1984 Foretravel Specifications** ..... 3
  - Brochures*** ..... 3
  - Photos*** ..... 3
- Specifications** ..... 6
  - 1984 Foretravel 38' Performance*** ..... 6
    - WEIGHTS/RATINGS ..... 6
    - FEATURES ..... 7
    - WEIGHTS ..... 7



# 1984 Foretravel Specifications

Specifications, Brochures, Floor Plans & Photos: Foretravel 38' Performance

- [38' "Performance" Specifications](#)

## Brochures



- 38' Model, the first of its line to be powered by a Turbocharged Caterpillar 3208-T diesel.

- [38' Foretravel Featured in MotorHome Magazine](#)
- [38' Featured in FMCA Magazine](#)



[1984 Floor Plans](#)

## Photos



[1984 Foretravel 35' Poster](#)



[1984 Foretravel 33' Poster](#)



[1984 Foretravel](#)



1984 Foretravel



1984 Travco Poster



1984 Foretravel Poster

## Specifications

### 1984 Foretravel 38' Performance

<b>Fuel consumption</b>	9.2mpg
<b>Engine coolant temp</b>	
Level	Under 140F
Uphill	150F
<b>Trans oil temp</b>	
Level	170F
Uphill	185F
<b>Acceleration time</b>	
0-60 mph	37 sec
40-60 mph	18 sec



Fuel consumption recorded at 55 mph, 1,800 feet elevation predominantly flat highway. Ambient temperature 40 degrees F. Uphill test in 6 percent grade, full throttle.

#### WEIGHTS/RATINGS

#### WEIGHTS/RATINGS

- Fresh Water Capacity: 88 gal.

- Black Tank capacity: 44 gal.
- Grey Tank capacity: 45 gal.
- Fuel capacity: 150 gal.
- Wheelbase: 252"
- Ext Length: 38'3"
- Ext Width: 96"
- Ext Height: 127"
- Int Height: 77"
- Front GAWR: 9,000 lbs.
- Rear GAWR: 17,500 lbs.
- GVWR\*: 26,500 lbs. \*Owner may add up to 6,020 lbs. in weight of passengers and supplies to Motorhome equipped as test coach without violating chassis manufacturer maximum GVWR.

## FEATURES

## FEATURES

- Frame Construction - Steel reinforced sandwich panel
- Insulation - 1.5" block Styrofoam
- Water Capacity - 88 gal.
- Waste Water capacity - 44 gal.
- Sink / Shower holding capacity - 45 gal.
- Propane capacity - 45.4 gal.
- Water System type - Demand
- Furnaces - 14,500 & 32,000 BTU
- Refrigerator - 10 cu. ft
- Toilet - Freshwater
- Electrical - 70 amp. Converter-charger
- Air Conditioner - Twin 13,500 BTU
- Generator - 6.5 kw
- Chassis - Oshkosh
- Engine - Caterpillar 3208-T 250 HP / 636 Cubic-inch
- Transmission - Allison MT 643 automatic 4-speed
- Axle Ratio - 4.11 to 1
- Tire size (bias) 9R/22.5 12 ply
- Wheelbase - 252"
- Brakes - Drum, air assisted
- Suspension - Air-ride
- Cooling system - HD standard
- Trans oil cooling - HD standard
- Fuel capacity - 150 gal.

## WEIGHTS

## WEIGHTS

Wet weights <sup>1)</sup>

- Front Axle: 7540
- Rear Axle: 12940

- Right Side: 10120
- Left Side: 10360
- Total: 20480

Base sugg. retail price \$163,500

<sup>1)</sup>

Water, fuel, propane tanks full; no supplies or passengers

From:

<https://wiki.foreforums.com/> - **Foretravel Wiki**

Permanent link:

[https://wiki.foreforums.com/through\\_the\\_years:specs:1984](https://wiki.foreforums.com/through_the_years:specs:1984)

Last update: **2024/07/27 10:00**

