

Table of Contents

2014 Foretravel Specifications	3
Brochures	3
Photos	4
Specifications	4
2014 IH45 / Phenix / Nimbus	4
WEIGHTS/RATINGS	4
CHASSIS	5
EXTERIOR FEATURES	6
COCKPIT FEATURES	7
APPLIANCES/ELECTRONICS/LIGHTING/AUDIO-VIDEO	8
LIVABILITY	9
SAFETY	9
HEATING/COOLING/ELECTRICAL	10

2014 Foretravel Specifications

Specifications Brochures & Photos, IH-45, Phenix, Nimbus

- [IH45 Specifications](#)
- [Phenix Specifications](#)
- [Nimbus Specifications](#)

Brochures



2014 Marks the last year of the Nimbus/Phenix lines which were then replaced with the Realm.

[2014 Foretravel Full Product Brochure](#)



[2013/2014 Example Floor Plans](#)



[2013/2014 Example Floor Plans](#)

Photos



2014 IH-45



2014 IH-45

Specifications

2014 IH45 / Phenix / Nimbus

WEIGHTS/RATINGS

WEIGHTS/RATINGS

IH

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- LP tank capacity: xx gal.
- Overall Height: 13' 2" (to top of AC)
- Interior Height: 7'

- Exterior Width 102"
- Wheelbase: 316"
- Available Lengths: 40,42,45'
- GVWR: 54,000lb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

Phenix

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 40,42,45'
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

Nimbus

- Fresh water capacity: 135 gal, 95 wo/tag
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 150 gal, 120 wo/tag
- LP tank capacity: 17 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 34,36,38,40 wo/tag, 40,42,45' w/tag
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

CHASSIS

CHASSIS

IH_45	Phenix	Nimbus	Chassis Features
•	•	•	ABS anti-lock braking system w/automatic slack adjusters
•	•	•	Air disc brakes on all wheels
•	•	•	Air hose for tire service

IH_45	Phenix	Nimbus	Chassis Features
•	•	•	Air quick connect in storage bay
•	•	•	Alcoa aluminum wheels w/ Dura-Bright protection
-	-	• (36-38)	Allison 6 speed transmission MH 3000R
•	•	• (40-42-45)	Allison 6 speed transmission MH 4000R
•	•	•	Allison transmission retarder
-	-	• (36-38)	Alternator - 160-amp
-	-	• (40-42-45)	Alternator - 200-amp
•	•	- (40-42-45)	Alternator - 340-amp
•	•	•	Automatic traction control (ATC)
•	•	•	Auxiliary 12v air compressor
•	•	•	Chassis - TravelRide by Foretravel
•	•	•	4 outboard-mounted air bags (drive axle)
•	•	•	2 air bags (IFS front axle)
•	•	•	2 air bags (tag axle)
-	-	•	Engine - Cummins ISL 450 HP
-	-	•	Engine - Cummins ISX 500 HP
•	•	-	Engine - Cummins ISX 600 HP
•	•	•	Fuel filter/water separator
•	•	•	Fuel system w/air & water purge
•	•	•	Front axle - IFS (independent front suspension)
•	•	•	HWH - computerized air leveling system
•	•	•	HWH - active air system
•	•	•	Rear axle ratio: 4.30:1
-	-	• (36-38)	Rear axle ratio: 4.78:1
-	•	•	Receiver hitch - 18,000 lb. rated
•	-	-	20,000 receiver hitch
-	-	•	Michelin Tires: 295/80R22.5
-	•	-	Michelin Tires: 315/80R22.5
•	-	-	Michelin Tires: 365/70R22.5 Front 315/80R22.5 Rear

EXTERIOR FEATURES

EXTERIOR FEATURES

IH_45	Phenix	Nimbus	Exterior Features
*	*	*	Awning, electric door
2	2	1	Awning, roof-mounted, electric patio
•	•	*	Awning, shells
*	*	*	Awnings, electric window
-	*	*	Awnings, manual window
2	2	1	Cargo tray, sliding
•	•	•	Carpeted storage bays
•	•	•	Consolidated components bay
•	•	•	Docking lights, (4) with switch in dash & bedroom
•	•	•	Dual halogen headlamps
•	•	•	Dual-pane tinted & insulated windows

IH_45	Phenix	Nimbus	Exterior Features
•	•	•	Easy view one-piece windshield
•	•	•	Electric dump valves Electric entry step
•	•	•	Electric entry step (Executive)
•	•	•	Electric utility reels - water & power
•	•	•	Fiberglass roof & sub floor (one-piece)
•	•	•	Flush kit
•	•	•	Fog lights
*	*	*	Freezer, 100lb in storage bay
•	•	•	Fuel fill - on both sides of coach
•	•	•	Gray water bypass for holding tank
•	•	•	Heated/remote triple head chrome mirrors w/LED turn signals
•	•	•	Lighted entry door w/ assist handle, keypad & doorbell
*	*	•	LP Connection
•	•	•	Fresh water plumbing supply manifold
•	•	•	Marker lights, LED
•	•	•	Paint protection below windshield
•	•	•	Painted exterior, full body paint w/ clear coat finish
•	•	•	Parallel storage doors
•	•	•	Remote storage door locks
•	•	•	Roof AC Drains
•	•	-	Stainless steel lined utility bay
•	•	•	Storage bay lights
•	•	•	Trailer wiring
•	•	•	TV antenna - electric with booster
•	•	•	TV outlet and 12v outlet in storage bay
•	•	•	Utility Station: Fresh water connection, phone connection, water fill switch, hot & cold water faucet, 120v receptacle & soap dispenser 50 amp shoreline connection, water pump switch, cable TV
•	•	*	Xenon low beam headlights

COCKPIT FEATURES

COCKPIT FEATURES

IH_45	Phenix	Nimbus	Dash & Cockpit Features
•	•	•	12 volt accessory receptacle
•	•	•	Battery boost switch / auto-charge
•	•	•	Camera, motorized back-up with control at dash
•	•	•	Cameras, mirror mount w/ color back-up monitor
•	•	•	CB at dash, hand held
•	•	•	Compass & outdoor temperature
-	-	•	Co-pilot seat, Villa leather 6 way power w/ footrest
•	•	-	Co-pilot seat, Villa residential 6 way power w/footrest & headrest
•	•	•	Dash AC controls for co-pilot
-	-	•	Gauges, backlit analogue
•	•	•	Generator auto start/stop
•	•	•	GPS/AM/FM/CD in dash

IH_45	Phenix	Nimbus	Dash & Cockpit Features
•	•	*	Monitor, passenger satellite/GPS
•	•	*	Map lights, pilot & copilot
•	•	•	MP3 input at dash
•	•	•	Pedals, throttle & brake power adjust
-	•	•	Pilot seat, Villa leather 6-way power
•	*	*	Pilot seat, Knoedler air ride
•	•	*	Silverleaf Glass Dash
-	-	•	Silverleaf VMS 440 (eng./trans. monitor)
•	•	•	Steering wheel, power tilt & telescoping
•	•	•	Steering wheel, Smart Wheel, w/Radio Controls
•	•	•	Transmission gear selector, touch-pad
•	•	•	Windshield / privacy shade & sunblock, electric

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO-VIDEO

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO-VIDEO

IH_45	Phenix	Nimbus	Appliances Electronics Lighting Audio-Video
•	•	•	Alarm Clock, built in bedroom
*	*	*	Battery charger, solar
•	•	•	Component audio & digital video cables
•	•	•	Cook top, 2-burner electric
*	*	•	Cook top, 2-burner LP w/electronic ignition (recessed)
•	•	•	Home theater speaker system in LR
•	•	*	DVD - Blue-ray™ - high def
-	-	•	DVD Player
•	*	*	Interior LED Lighting
•	•	•	Inverter/power monitor panel in living room area
•	•	*	LED Lighting, accent under counters & window trim
•	•	•	Lighting, floor lights
•	•	•	Lighting, Halogen reading lamps in bedroom
•	•	•	Microwave
•	•	*	Refrigerator, 120v electric w/ice & water in door
*(14cu ft.)	*(14cu ft.)	•	Refrigerator, Dometic side-by-side 12 cu. ft
•	•	-	Satellite radio, XM, SIRIUS
-	-	•	Satellite system, in motion w/HD receiver
•	•	*	Satellite system, in motion w/ HD DVR receiver
•	•	*	Satellite system, 2nd HD receiver
*	*	*	Stadium Package
*	*	*	Stationary Satellite w/ HD receiver
•	•	-	Silverleaf Total Coach monitor
•	•	•	Tire Pressure Sensors, Remote
•	•	•	TV antenna - electric with booster
•	•	•	Washer/dryer connections

LIVABILITY**LIVABILITY**

IH_45	Phenix	Nimbus	Interior Livability Features
•	•	•	Powered step-well cover with two switch locations
•	•	•	China toilet
•	•	•	Color-coordinated throw pillows (sofa & bed)
•	•	•	Designer window treatment w/ electric day/night shades
•	•	•	Electric exhaust fan in bath & toilet room w/auto rain sensor
•	•	•	Filter, drinking water & ice maker water
•	•	•	Floor Heat, electric (with approved flooring)
•	•	•	Kitchen pantry
•	•	•	Lighting, multiplex system
•	•	•	Queen bed (60" x 77") (66" x 77" floorplan dependent)
*	*	*	King bed (72" x 77") (w / wo) Slumber Ease System
•	•	•	Slide-out rooms, flush w/ sidewalls when retracted
•	•	•	Slide-out rooms, pneumatic sealed
•	•	•	Natural Quartz countertops (kitchen & bath)
•	•	•	Natural Quartz desktop (floorplan dependent)
•	•	•	Natural Quartz dinette table
•	•	•	Natural Quartz nightstand tops
•	•	•	Stainless steel kitchen sink w/covers
•	•	•	Telephone jack in living area & bedroom
•	•	• (40-42)	Tile floor (kit, bath, D & P area)
•	•	•	Vacuum, built in
*	*	*	Washer dryer combination
*(FD)	*(FD)	*(FD)	Washer dryer, stacked
•	•	•	Wood, handcrafted cherry, walnut or maple cabinetry
*	*	-	Wood, Bubinga cabinetry
*	*	*	Wood, African Mahogany cabinetry
*	*	-	Laminate cabinetry

SAFETY**SAFETY**

IH_45	Phenix	Nimbus	Safety Features
•	•	•	All coaches built to RVIA specifications
•	•	•	Carbon monoxide detector
•	•	•	Daytime running lights
•	•	•	Fire extinguishers (2)
•	•	•	GFI protected circuits
•	•	•	High-mounted additional brake lights
•	•	•	Lighted entry-door assist handle
• (w/ LP)	• (w/ LP)	•	LP leak detector
•	•	•	Electronic Safe

IH_45	Phenix	Nimbus	Safety Features
•	•	•	Security system
•	•	•	Smoke detector

HEATING/COOLING/ELECTRICAL

HEATING/COOLING/ELECTRICAL

IH_45	Phenix	Nimbus	Heating Cooling Electrical
-	-	• (36-38)	10kw diesel generator in quiet box
-	•	• (40-42)	12.5kw diesel generator in quiet box
•	-	-	20kw diesel generator in quiet box
•	•	•	12 volt battery disconnect
2	2	•	2800 w inverter/charger
•	•	•	50 amp shoreline connection
•	•	•	Air conditioning & heating with hidden returns
-	-	• (36-38)	Air conditioning, ducted with 2 roof airs
• (40-42)	• (40-42)	•	Air conditioning, ducted with 3 roof airs
• (45)	• (45)	• (45)	Air conditioning, ducted with 4 roof airs
•	•	•	Electrical surge-suppression system
•	•	•	Heat pumps on roof AC's
•	•	•	Hydronic heating
•	•	•	Low-battery generator auto-start

From:
<https://wiki.foreforums.com/> - **Foretravel Wiki**

Permanent link:
https://wiki.foreforums.com/through_the_years:specs:2014

Last update: **2024/08/06 09:49**

