2009 Foretravel Specifications

	Nimbus XT 34*,36,38,40 (34 spc order)	Nimbus SE 40,42	Nimbus CE 38,40,42	Phenix 40,42,45
Chassis Features				
ABS anti-lock braking system with automatic slack	S	S	S	S
adjusters				
Air disc brakes on all wheels	S	S	S	S
Air hose for tire service	S	S	S	S
Air quick connect in storage bay	S	S	S	S
Alcoa aluminum wheels with Dura-Bright protection	S	S	S	S
Allison 6 speed transmission MH 3000R	S		S(38)	
Allison 6 speed transmission MH 4000R		S(40&42)	S(40&42)	S
Allison transmission retarder	S	S	S	S
Alternator - 160-amp	S		S(38)	
Alternator - 200-amp		S(40&42)	S(40&42)	
Alternator - 320-amp		<u> </u>	- ()	S
Automatic traction control (ATC)	S	S	S	S
Auxiliary 12v air compressor	S	S	S	S
Chassis - TravelRide by Foretravel	S	S	S	S
all air ride with		S	S	S
4 outboard-mounted air springs (drive axle),	S S S	S	Š	S
4 outboard-mounted air springs (straight front axle),	S	S	S	•
2 air springs (IFS front axle),	opt	opt	opt	S
2 air springs (lifting tag axle)		S(40&42)	S(40&42)	S
Engine - Cummins ISL 425 HP	S		S(38)	
Engine - Cummins ISM 500 HP		S(40&42)	S(40&42)	
Engine - Cummins ISX 600 HP				S
Fuel filter/water separator	S	S	S	S
Fuel system w/air & water purge		S (40&42)	S (40&42)	S
Front axle – straight beam	S	S	S	
Front axle – IFS (independent front suspension)			opt	S
Front tow retrieval points	S	S	S	S
House batteries - 210 amp AGM each	S	S	S	S
HWH computerized air leveling system	S	S	S	S
HWH Active Air System	opt	opt	opt	opt
Power steering	S	S	S	S
Radiator coolant recovery system	S	S	S	S
Rear axle ratio: 4.30:1	3	3	S(40&42)	S
Rear axle ratio: 4.78:1	S	3	, ,	<u> </u>
		0	S(38)	
Receiver hitch - 18,000 lb. rated	S	S	_	S
Remote battery jumper terminals		S	S(40&42)	<u>S</u>
Suspension: Firestone air springs,	S	S	S	S
Tag axle, lifting		S	S(40-42)	S
Michelin Tires: 295/80R22.5	S	S	S	
Michelin Tires: 315/80R22.5				S
Transmission oil cooler	S	S	S	S

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Exterior Features	,,,,		<u> </u>	
Auxiliary rear brake lights and turn signals	S	S	S	S
Awning, Girard electric entry door	opt	opt	opt	opt
Awning, Girard roof-mounted electric patio,	1	1	1	2
Awning, Girard shells	opt (1-38/40)	S (3-40/42)	S(1-38, 3-40/42)	S
Awnings, Girard electric window	opt	opt	opt	opt
Awnings, Zip Dee manual window	opt	opt	opt	opt
Cargo tray, sliding	1	1	1	1
Cargo tray, sliding, electric	opt	opt	opt	opt
Carpeted storage bays	S	S	S	S
Chairs, folding patio (2)	opt	opt	S	S
Paint protection below windshield	opt	opt	opt	S
Consolidated components bay	S	S	S	S
Docking lights, (4) with switch in dash	S	S	S	
Docking lights, (4) with switch in dash & bedroom				S
Dual halogen headlamps	S	S	S	S
Dual-pane tinted & insulated windows	S	S	S	S
Easy view one-piece windshield	S	S	S	S
Electric dump valves	S	S	S	S
Electric entry box step	S	S	S	
Electric entry step (Executive)				S
Electric utility reels	S	S	S	S
Fiberglass roof & sub floor (one-piece)	S	S	S	S
Flush kit	S	S	S	S
Fog lights	S	S	S	S
Freezer, 100lb in storage bay	opt	opt	opt	opt
Fuel fill – on both sides of coach	S	S	S	S
Gray water bypass for holding tank	S	S	S	S
Heated/remote triple head chrome mirrors w/LED turn signals	S	S	S	S
Hidden air horns	S	S	S	S
Lighted entry door with assist handle, keypad, & doorbell	S	S	S	S
LP connection	S	S	S	opt
Fresh water plumbing supply manifold	S	S	S	S
Marker lights, LED		S	S	S
Mud flaps	S	S	S	S
Painted exterior, full body paint with clear coat finish	S	S	S	S
Parallel storage doors, (new style)	S	S	S	S
Porch light	S	S	S	S
PTL entry door with screen and kick guard	S	S	S	S
Remote storage door locks	S	S	S	S
Roof AC drains	S	S	S	S
Stainless steel lined utility bay			S	S
Storage bay lights	S	S	S	S
Trailer wiring	S	S	S	S
TV antenna - electric with booster	S	S	S	S

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
TV outlet and 12v outlet in storage bay	S	S	S	S
Utility station: Fresh water connection, 50 amp shoreline		1		
connection, hot and cold water faucet, soap dispenser, cable TV, phone connection, paper towel holder, water pump switch, water fill switch, 120v receptacle	S	S	S	S
Xenon low beam headlights		opt	S	S
		·		
Dash & Cockpit Features				
12 volt accessory receptacle	S	S	S	S
Battery boost switch	S	S	S	S
Camera, motorized back-up with control at dash	S	S	S	S
Cameras, mirror mount with color back-up monitor	S	S	S	S
CB at dash, hand held	S	S	S	S
Compass and outdoor temperature	S	S	S	S
Co-pilot seat, Villa leather 6 way power with footrest	S			
Co-pilot seat, Villa residential 6 way power w/footrest & headrest	opt	S	S	S
Cruise control with dash indicator light	S	S	S	S
Dash AC controls for co-pilot	S	S	S	S
Driver and passenger drink holder	S	S	S	S
Entry flooring, hard surface	S	S	S	S
Gauges, backlit analogue	S	S	S	S
Generator auto start/stop	S	S	S	S
GPS/AM/FM/CD in dash (w/ xm sat. radio)	S	S	S	S
Illuminated dash panel	S	S	S	S
Monitor, passenger satellite/GPS	opt	opt	opt	S
Map lights, pilot & copilot	S	S	S	S
MP3 input at dash	S	S	S	S
Pedals, throttle & brake adjustable	S	S	S	S
Pilot seat, Villa leather 6-way power	S	S	S	
Pilot seat, Villa leather 6-way power with air ride				S
Silverleaf digital glass dash		opt	opt	opt
Silverleaf VMS 440 (eng./trans. monitor)	opt	opt	opt	S
Steering wheel, tilt and telescoping	S	S	S	S
Steering wheel, wood look Smart wheel	S	S	S	S
Transmission gear selector, touch-pad	S	S	S	S
Windshield / privacy shade, electric	S	S	S	S
Windshield wipers, synchronized	S	S	S	S
Windshield, shade band at top	S	S	S	S
Appliances/Electronics/Lighting/Audio-Video				
Alarm Clock, built in	S	S	S	S
Battery charger, solar	opt	opt	opt	opt
Cellular antenna, digital	opt	opt	opt	opt
Component audio and digital video cables	S	S	S	S
Cook top, 2-burner electric	opt	opt	opt	S

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Cook top, 2-burner LP w/electronic ignition, recessed	S	S	S	opt
Home theater system in LR w/ Anthony Gallo Speakers	S	S	S	S
Blu-ray High Def. DVD	3	3	3	S
DVD Player	S	S	S	3
Inverter/power monitor panel in living room area	S	S	S	S
		S	S	S
Lighting, accent under counters	opt			(+ valances)
Lighting, floor lights	S	S	S	S
Lighting, in cabinet below kitchen sink	S	S	S	S
Lighting, Halogen reading lamps in bedroom	S	S	S	S
Microwave, GE Advantium (black)	8	8	S	S
MX900 Universal remote	2	2	2	
MX950/980 Universal remote		opt	opt	2
Refrigerator, 120v electric w/ice & water in door		opt	opt	S
Refrigerator, Dometic side-by-side 12 cu. ft	S	S	S	opt (14 cu ft)
Satellite radio, XM (Phenix includes 18month subscription)	S	S	S	S
Satellite system, in motion w/HD receiver	S	S	S	
Satellite system, in motion w/HD DVR receiver	opt	opt	opt	S
Satellite system, 2 nd HD receiver	opt	opt	opt	S
Siverleaf Total Coach monitor				S
Tire Pressure Sensors, Remote	S	S	S	S
TV 23" LCD w/DVD in bedroom	S	S	S	
TV 32" LCD w/DVD in bedroom				S
TV 37" LCD in living room	S	S	S	
TV 42" LCD in living room		opt(FD)	opt _(FD)	S
TV antenna - electric with booster	S	S	S	S
Washer/dryer connections	S	S	S	S
Interior Livebility Feeture				
Interior Livability Features	0	0	0	0
Powered step-well cover with two switch locations	S	S	S	S
Brushed nickel cabinet hardware	S	S	S	S
China tailet	opt	opt	opt	opt
China toilet	S	S	S	S
Color-coordinated throw pillows (sofa & bed)	S	S	S	S
Concealed door hinges	S	S	S	S
Designer kitchen faucet with pullout sprayer	S	S	S	S
Designer window treatment with day/night shades	S	S	S	
Designer window treatment with electric shades		opt	opt RP (40-42)	S
Doors, interior	panel-frame	raised panel	Panel frame-38	raised panel
Electric Fantastic fan in bath & toilet room w/auto rain sensor	S	S	S	S
Filter, drinking water & ice maker water	S	S	S	S
Floor-to-ceiling wallpaper and chair rail	S	S	S	S
Floor Heat, electric (with approved flooring)		opt	opt (40-42)	S
			_	

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Kitchen pantry	S	S	S	S
Lighting, Intellitec multiplex system				
Lighting, Intellitec multiplex system with dimmers	S	S	S	S
Magazine rack and drink holder at co-pilot seat	S	S	S	S
Queen bed (60" x 77") (66" x 77" floorplan dependent)	S	S	S	S
Recliner	S(FD)	S(FD)	S(FD)	S(FD)
Shower foot rest	opt	opt	opt	opt
Showerhead slider	S	S	S	S
Sink, vessel lavatory sink				S
Skylight above shower	S	S	S	S
Slide-out rooms, flush with sidewalls when retracted	S	S	S	S
Slide-out rooms, pneumatic sealed	S	S	S	S
Solid surface countertops (kitchen and bath)	S	S	S	S (Silestone)
Solid surface desktop (floorplan dependent)	S	S	S	S (Silestone)
Solid surface dinette table	S	S	S	S (Silestone)
Solid surface nightstand tops		S	S	S (Silestone)
Solid wood bedroom countertops	2	J	J	C (Gillotterio)
Stainless steel kitchen sink w/covers	S	S	S	S
Storage under entry step	S	S	S	S
Telephone jack in living area and bedroom	S	S	S	S
Tile floor (kit, bath, living room, D & P area)	3	S (40-42)	S (40-42)	S
Resilient ceramic tile (vinyl) (bath, D & P area)	S	3 (40-42)	S (38)	3
Vacuum, built in	9	S	3 (36)	S
Washer dryer combination	opt	opt	opt	opt
Washer dryer, stacked	Ορι	opt (FD)	opt (FD)	opt (FD)
Wood, handcrafted cherry, walnut or maple cabinetry	S	S	S	S
Wood, Bubinga	3	3	3	opt
Wood, African Mahogany			opt	opt
Wood, Amean Manogarry			Ορι	Ορι
Sofoty Footures				
Safety Features	S	S	S	S
All coaches built to RVIA specifications	S	S	S	S
Carbon monoxide detector	S	S	S	S
Daytime running lights Drive and passenger 3-point seat belts & shoulder				
harnesses	S	S	S	S
Emergency flasher lights	S	S	S	S
Fire extinguishers (2)	S	S	S	S
GFI protected circuits	S	S	S	S
High-mounted additional brake lights	S	S	S	S
Interior exit-assist handle	S	S	S	S
Lighted entry-door assist handle	S	S	S	S
LP leak detector	S	S	S	w/LP opt.
Polarity meter/monitor – 120v	S	S	S	S
Electronic Safe	9	5	9	S
Security system	S	S	S	S
Smoke detector	S	S	S	S
OTHORE REFEREN	J	J	J	ن

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Heating/Cooling/Electrical				
10kw diesel generator in quiet box	S(36-38)		S(36-38)	
12.5kw diesel generator in quiet box	S(40)	S	S(40-42)	S
12 volt battery disconnect	S	S	S	S
2000 w inverter/charger	S		S(36-38)	
2800 w inverter/charger		S	S (40/42)	S
50 amp shoreline connection	S	S	S	S
Air conditioning and heating with hidden returns	S	S	S	S
Air conditioning, ducted with 2 roof airs	S(36-38)		S(36-38)	
Air conditioning, ducted with 3 roof airs	S(40)	S(40-42)	S(40-42)	S(40-42)
Air-conditioning, ducted with 4 roof airs				S(45)
Auto temp. start for generator	S	S	S	S
Electrical surge-suppression system	S	S	S	S
Heat pumps on roof AC's	S	S	S	S
Hydronic heating with galvanized steel housing	S			
Hydronic heating with stainless steel housing		S	S	S
Low-battery generator auto-start	S	S	S	S
7.0				
Warranty				
Coach	12mo/12000mi	12mo/12000mi	15mo- 21000mi	18mo/24000mi
Structure	4yr/75000mi	4yr/75000mi	5yr/100000mi	5yr/100000mi
Engine	5yr/100000mi	5yr/100000mi	5yr/100000mi	5yr/100000mi
Transmission	5yr	5yr	5yr	5yr/unlimited mi
Transmission	unlimited mi	unlimited mi	unlimited mi	
Available Lengths	36', 38', 40'	40', 42'	38', 40', 42'	40', 42', 45'
Available Lengths	30, 30, 40	40,42	00, 40, 42	40,42,45
Exterior height	12' 3"	12' 3"	12' 3"	12" 3 1/2"
Exterior width	102"	102"	102"	102"
LAGIOI WIGHT	102	102	95gal (36-38)	102
Fresh water capacity	95 gal.	135 gal.	135gal (40 & 42)	135 gal.
Holding tank(s)	145 gal	145 gal	145 gal	145 gal.
LP capacity	17 gal	17 gal	17 gal	
Fuel capacity	120 gal	150gal	120 gal (36-38) 150gal (40 & 42)	200 gal.
			,	