

2008 Foretravel Specifications

	Nimbus XT 34*,36,38,40 (34 spc order)	Nimbus SE 40,42	Nimbus CE 38,40,42	Phenix 40,42,45
Chassis Features				
ABS anti-lock braking system with automatic slack adjusters	S	S	S	S
Air disc brakes on all wheels	S	S	S	S
Air hose for tire service	S	S	S	S
Air quick connect in storage bay	S	S	S	S
Alcoa aluminum wheels with Dura-Bright protection	S	S	S	S
Allison gen. 4 transmission MH 3000R	S		S(38)	
Allison gen. 4 transmission MH 4000R		S(40&42)	S(40&42)	S
Allison transmission retarder	S	S	S	S
Alternator - 160-amp	S		S(38)	
Alternator - 200-amp		S(40&42)	S(40&42)	
Alternator - 320-amp				S
Automatic traction control (ATC)	S	S	S	S
Auxiliary 12v air compressor	S	S	S	S
Chassis - TravelRide by Foretravel	S	S	S	S
all air ride with	S	S	S	S
4 outboard-mounted air springs (drive axle),	S	S	S	S
4 outboard-mounted air springs (straight front axle),	S	S	S	S
2 air springs (IFS front axle),				S
2 air springs (lifting tag axle)		S(40&42)	S(40&42)	S
Engine - Cummins ISL 425 HP	S		S(38)	
Engine - Cummins ISM 500 HP		S(40&42)	S(40&42)	
Engine - Cummins ISX 600 HP				S
Fuel filter/water separator, Cummins	S		S(38)	S
Fuel system w/air & water purge		S (40&42)	S (40&42)	S
Front axle – straight beam	S	S	S	
Front axle – IFS (independent front suspension)				S
Front tow retrieval points	S	S	S	S
House batteries - 210 amp AGM each	S	S	S	S
HWH computerized air leveling system	S	S	S	S
Koni FSD shock absorbers	S	S	S	S (not on IFS)
Power steering	S	S	S	S
Radiator coolant recovery system	S	S	S	S
Rear axle ratio: 4.30:1				S
Rear axle ratio: 4.33:1		S(40&42)	S(40&42)	S
Rear axle ratio: 4.78:1	S		S(38)	
Receiver hitch - 18,000 lb. rated	S	S	S	S
Remote battery jumper terminals		S	S(40&42)	S
Suspension: Firestone air springs,	S	S	S	S
Tag axle, lifting		S(40-42)	S(40-42)	S
Tires: 295/80R22.5	S	S	S	
Tires: 315/80R22.5				S
Transmission oil cooler	S	S	S	S

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Exterior Features				
Auxiliary rear brake lights and turn signals	S	S	S	S
Awning, Girard electric door	opt	opt	opt	opt
Awning, roof-mounted, automatic patio, Girard	1	1	1	2
Awning, shells, Girard	opt (1-38/40)	S(3-40/42)	S(1-38, 3-40/42)	S
Awnings, Girard electric window	opt	opt	opt	opt
Awnings, Zip Dee manual window	opt	opt	opt	opt
Cargo tray, sliding	opt	1	1	1
Carpeted storage bays	S	S	S	S
Chairs, folding patio	opt	opt	S	S
Clear shield paint protection below windshield	opt	opt	opt	opt
Consolidated components bay	S	S	S	S
Docking lights, (4) with switch in dash	S	S	S	
Docking lights, (4) with switch in dash & bedroom				S
Dual halogen headlamps	S	S	S	S
Dual-pane tinted & insulated windows	S	S	S	S
Easy view one-piece windshield	S	S	S	S
Electric entry step	S	S	S	
Electric entry step (Executive)				S
Electric utility reels	opt	S	S	S
Fiberglass roof & sub floor (one-piece)	S	S	S	S
Flush kit	opt	S	S	S
Fog lights	S	S	S	S
Freezer, 100lb in storage bay	opt	opt	opt	opt
Fuel fill – on both sides of coach	S	S	S	S
Heated/remote triple head chrome mirrors w/LED turn signals	S	S	S	S
Hidden air horns	S	S	S	S
Lighted entry door with assist handle, keypad, & doorbell	S	S	S	S
LP connection	opt	S	S	S
Manibloc plumbing supply manifold	S	S	S	S
Marker lights, LED		S	S	S
Mud flaps	S	S	S	S
Painted exterior, full body paint with clear coat finish	S	S	S	S
Parallel storage doors	opt	S	S	S
Porch light	S	S	S	S
PTL entry door with screen and kick guard	S	S	S	S
Remote storage door locks	S	S	S	S
Roof AC drains	S	S	S	S
Stainless steel lined utility bay			S	S
Storage bay lights	S	S	S	S
Trailer wiring	S	S	S	S
TV antenna - electric with booster	opt	S	S	S
TV antenna with booster	S			
TV outlet and 12v outlet in storage bay	S	S	S	S

	Nimbus XT	Nimbus SE	Nimbus CE	Phenix
Utility station: Fresh water connection, 50 amp shoreline connection, hot and cold water faucet, soap dispenser, cable TV, phone connection, paper towel holder, water pump switch, water fill switch, 120v receptacle	S	S	S	S
Xenon low beam headlights		opt	S	S
Dash & Cockpit Features				
12 volt accessory receptacle	S	S	S	S
Battery boost switch	S	S	S	S
Camera, motorized back-up with control at dash	opt	opt	S	S
Cameras, mirror mount with color back-up monitor	opt	S	S	S
CB at dash, hand held	opt	S	S	S
Compass and outdoor temperature	S	S	S	S
Co-pilot seat, Villa leather 6 way power with footrest	S			
Co-pilot seat, Villa residential 6 way power w/footrest & headrest	opt	S	S	S
Cruise control with dash indicator light	S	S	S	S
Dash AC controls for co-pilot	S	S	S	S
Driver and passenger drink holder	S	S	S	S
Entry flooring, hard surface	S	S	S	S
Gauges, backlit analogue	S	S	S	S
Generator auto start/stop	S	S	S	S
Generator start/stop switch	S	S	S	S
GPS/AM/FM/CD in dash (sat. radio capable)	opt	S	S	S
Illuminated dash panel	S	S	S	S
Monitor, passenger satellite/GPS	opt	opt	opt	opt
Map lights, pilot & copilot	S	S	S	S
Pedals, throttle & brake adjustable	S	S	S	S
Pilot seat, Villa leather 6-way power	S	S	S	
Pilot seat, Villa leather 6-way power with air ride				S
Silverleaf digital glass dash		opt	opt	opt
Silverleaf VMS 400 (eng./trans. monitor)	opt	opt	opt	opt
Steering wheel, leather illuminated Smart wheel	S			
Steering wheel, tilt and telescoping	S	S	S	S
Steering wheel, wood look Smart wheel	opt	S	S	S
Transmission gear selector, touch-pad	S	S	S	S
Windshield / privacy shade, electric	S	S	S	S
Windshield wipers, synchronized	S	S	S	S
Windshield, shade band at top	S	S	S	S
Appliances/Electronics/Lighting/Audio-Video				
Alarm Clock, built in	opt	opt	opt	S
Battery charger, solar	opt	opt	opt	opt
Cellular antenna, digital	opt	opt	opt	opt
Component audio and digital video cables	S	S	S	S
Cook top, 2-burner electric	opt	opt	opt	S
	Nimbus XT	Nimbus SE	Nimbus CE	Phenix

Cook top, 2-burner LP w/electronic ignition, recessed	S	S	S	opt
Elan Via 2 remote		opt	opt	opt
Home theater system in LR w/ Anthony Gallo Speakers	S	S	S	S
Inverter/power monitor panel in living room area	S	S	S	S
Lighting, accent under counters, floor lights	opt	S	S	S (+ valances)
Lighting, Halogen reading lamps in bedroom	S	S	S	S
Microwave, GE Advantium	opt	opt	S	S
Microwave/convection oven	S	S		
MX3000 Universal remote	opt	opt	opt	opt
MX850 Universal remote	2	2	2	
MX950 Universal remote		opt	opt	2
Refrigerator, 120v electric w/ice & water in door		opt	opt	S
Refrigerator, Dometic side-by-side 12 cu. ft	S	S	S	opt (14 cu ft)
Satellite radio, XM or Sirius (requires subscription)	opt	opt	opt	S _(XM)
Satellite system, 2 nd HD receiver	opt	opt	opt	opt
Satellite system, in motion w/HD DVR receiver	opt	opt	opt	S
Satellite system, in motion w/HD receiver	opt	opt	opt	
Siverleaf Total Coach monitor				S
TV 20" LCD in bedroom	S			
TV 23" LCD w/DVD in bedroom		S	S	
TV 26" LCD in bedroom				S
TV 32" LCD in living room	S			
TV 37" LCD in living room	opt	S	S	S
TV 42" LCD in living room		opt _(FD)	opt _(FD)	opt _(FD)
TV antenna - electric with booster	opt	S	S	S
TV antenna with booster	S			
Washer/dryer connections	S	S	S	S
Interior Livability Features				
Powered step-well cover with two switch locations	S	S	S	S
Brushed nickel cabinet hardware	S	S	S	S
Calap-Z-Table	opt	opt	opt	opt
China toilet	S	S	S	S
Color-coordinated throw pillows (sofa & bed)	S	S	S	S
Concealed door hinges	S	S	S	S
Designer kitchen faucet with pullout sprayer	S	S	S	S
Designer window treatment with day/night shades	S	S	S	
Designer window treatment with electric shades		opt	opt	S
Doors, interior	panel-frame	raised panel	RP (40-42) panel frame 38	raised panel
Electric Fantastic fan in bath & toilet room w/auto rain sensor	S	S	S	S
Filter, drinking water & ice maker water	S	S	S	S
Floor-to-ceiling wallpaper and chair rail	S	S	S	S
	Nimbus XT	Nimbus SE	Nimbus CE	Phenix

Floor Heat, electric (with approved flooring)		opt	opt	opt
Kitchen pantry	S	S	S	S
Lighting, Intellitec multiplex system	S	S	S	S
Magazine rack and drink holder at co-pilot seat	S	S	S	S
Queen bed (60" x 77") (66" x 77" floorplan dependent)	S	S	S	S
Recliner	S(FD)	S(FD)	S(FD)	S(FD)
Shower foot rest	opt	opt	opt	opt
Showerhead slider	S	S	S	S
Sink, vessel lavatory sink				S
Skylight above shower	S	S	S	S
Slide-out rooms, flush with sidewalls when retracted	S	S	S	S
Slide-out rooms, pneumatic sealed	S	S	S	S
Solid surface countertops (kitchen and bath)	S	S	S	S (Silestone)
Solid surface desktop (floorplan dependent)	S	S	S	S (Silestone)
Solid surface dinette table	S	S	S	S (Silestone)
Solid surface nightstand tops		S	S	S (Silestone)
Solid wood bedroom countertops	S			
Stainless steel kitchen sink w/covers	S	S	S	S
Storage under entry step	S	S	S	S
Telephone jack in living area and bedroom	S	S	S	S
Tip-out storage below kitchen sink	S	S	S	S
Tile floor (kit, bath, D & P area)		S (40-42)	S (40-42)	S
Resilient ceramic tile (vinyl) (bath, D & P area)	S		S (38)	
Vacuum, built in	opt	opt	opt	opt
Washer dryer combination	opt	opt	opt	opt
Washer dryer, stacked		opt (FD)	opt (FD)	opt (FD)
Wood, exotic				opt
Wood, handcrafted cherry, walnut or maple cabinetry	S	S		S
Wood, mahogany cabs.			opt	opt
Safety Features				
All coaches built to RVIA specifications	S	S	S	S
Carbon monoxide detector	S	S	S	S
Daytime running lights	S	S	S	S
Drive and passenger 3-point seat belts & shoulder harnesses	S	S	S	S
Emergency flasher lights	S	S	S	S
Fire extinguishers (2)	S	S	S	S
GFI protected circuits	S	S	S	S
High-mounted additional brake lights	S	S	S	S
Interior exit-assist handle	S	S	S	S
Lighted entry-door assist handle	S	S	S	S
LP leak detector	S	S	S	opt
Polarity meter/monitor – 120v	S	S	S	S
Safe	opt	opt	opt	S
Security system	opt	opt	opt	S
Smoke detector	S	S	S	S
	Nimbus XT	Nimbus SE	Nimbus CE	Phenix

Heating/Cooling/Electrical				
10kw diesel generator in quiet box	S	S(38-40)	S(38)	
12 volt battery disconnect	S	S	S	S
12.5kw diesel generator in quiet box		opt (40) std (42)	opt (40) std (42)	S
2000 w inverter/charger	S	S	S	
3000 w inverter/charger		opt	opt	S
50 amp shoreline connection	S	S	S	S
Air conditioning and heating with hidden returns	S	S	S	S
Air conditioning, ducted with 2 roof airs	S	S(40)	S(38-40)	S(40)
Air conditioning, ducted with 3 roof airs		S(42)	S(42)	S(42)
Air-conditioning, ducted with 4 roof airs				S(45)
Auto temp. start for generator w/safety reset	S	S	S	S w/o reset
Electrical surge-suppression system	S	S	S	S
Heat pumps on roof AC's	S	S	S	S
Hydronic heating with galvanized steel housing	S			
Hydronic heating with stainless steel housing		S	S	S
Low-battery generator auto-start	S	S	S	S
Warranty				
Coach	12mo/12000mi	12mo/12000mi	15mo-15000mi	18mo/18000mi
Structure	4yr/75000mi	4yr/75000mi	5yr/100000mi	5yr/100000mi
Engine	5yr/100000mi	5yr/100000mi	5yr/100000mi	5yr/100000mi
Transmission	5yr unlimited mi	5yr unlimited mi	5yr unlimited mi	5yr/unlimited mi
Available Lengths	34', 36', 38', 40'	40', 42'	38', 40', 42'	40', 42', 45'
Exterior height	12' 3"	12' 3"	12' 3"	12' 3 1/2"
Exterior width	102"	102"	102"	102"
Fresh water capacity	95 gal.	135 gal.	95gal (38) 135gal (40 & 42)	135 gal.
Holding tank(s)	145 gal	145 gal	145 gal	145 gal.
LP capacity	17 gal	17 gal	17 gal	
Fuel capacity	120 gal	150gal	120 gal (38) 150gal (40 & 42)	200 gal.