

Table of Contents

1984 Foretravel Specifications	3
<i>Brochures</i>	3
<i>Photos</i>	3
Specifications	6
<i>1984 Foretravel 38' Performance</i>	6
WEIGHTS/RATINGS	6
FEATURES	7
WEIGHTS	7

1984 Foretravel Specifications

Specifications, Brochures, Floor Plans & Photos: Foretravel 38' Performance

- [38' "Performance" Specifications](#)

Brochures



- 38' Model, the first of its line to be powered by a Turbocharged Caterpillar 3208-T diesel.

- [38' Foretravel Featured in MotorHome Magazine](#)
- [38' Featured in FMCA Magazine](#)



[1984 Floor Plans](#)

Photos



1984 Foretravel 35' Poster



1984 Foretravel 33' Poster



1984 Foretravel



1984 Foretravel



1984 Travco Poster



1984 Foretravel Poster

Specifications

1984 Foretravel 38' Performance

Fuel consumption	9.2mpg
Engine coolant temp	
Level	Under 140F
Uphill	150F
Trans oil temp	
Level	170F
Uphill	185F
Acceleration time	
0-60 mph	37 sec
40-60 mph	18 sec



Fuel consumption recorded at 55 mph, 1,800 feet elevation predominantly flat highway. Ambient temperature 40 degrees F. Uphill test in 6 percent grade, full throttle.

WEIGHTS/RATINGS

WEIGHTS/RATINGS

- Fresh Water Capacity: 88 gal.

- Black Tank capacity: 44 gal.
- Grey Tank capacity: 45 gal.
- Fuel capacity: 150 gal.
- Wheelbase: 252"
- Ext Length: 38'3"
- Ext Width: 96"
- Ext Height: 127"
- Int Height: 77"
- Front GAWR: 9,000 lbs.
- Rear GAWR: 17,500 lbs.
- GVWR*: 26,500 lbs. *Owner may add up to 6,020 lbs. in weight of passengers and supplies to Motorhome equipped as test coach without violating chassis manufacturer maximum GVWR.

FEATURES

FEATURES

- Frame Construction - Steel reinforced sandwich panel
- Insulation - 1.5" block Styrofoam
- Water Capacity - 88 gal.
- Waste Water capacity - 44 gal.
- Sink / Shower holding capacity - 45 gal.
- Propane capacity - 45.4 gal.
- Water System type - Demand
- Furnaces - 14,500 & 32,000 BTU
- Refrigerator - 10 cu. ft
- Toilet - Freshwater
- Electrical - 70 amp. Converter-charger
- Air Conditioner - Twin 13,500 BTU
- Generator - 6.5 kw
- Chassis - Oshkosh
- Engine - Caterpillar 3208-T 250 HP / 636 Cubic-inch
- Transmission - Allison MT 643 automatic 4-speed
- Axle Ratio - 4.11 to 1
- Tire size (bias) 9R/22.5 12 ply
- Wheelbase - 252"
- Brakes - Drum, air assisted
- Suspension - Air-ride
- Cooling system - HD standard
- Trans oil cooling - HD standard
- Fuel capacity - 150 gal.

WEIGHTS

WEIGHTS

Wet weights ¹⁾

- Front Axle: 7540
- Rear Axle: 12940

- Right Side: 10120
- Left Side: 10360
- Total: 20480

Base sugg. retail price \$163,500

¹⁾

Water, fuel, propane tanks full; no supplies or passengers

From:

<https://wiki.foreforums.com/> - **Foretravel Wiki**

Permanent link:

https://wiki.foreforums.com/through_the_years:specs:1984

Last update: **2024/07/27 10:00**

