

# Table of Contents

- 2007 Foretravel Specifications** ..... 3
  - Brochures** ..... 3
  - Photos** ..... 3
- Specifications** ..... 4
  - 2007 Phenix** ..... 4
    - WEIGHTS/RATINGS ..... 4
    - CHASSIS ..... 4
    - COCKPIT FEATURES ..... 5
    - LIVABILITY ..... 6
    - HEATING/COOLING/ELECTRICAL ..... 7
    - SAFETY ..... 7
    - EXTERIOR FEATURES ..... 8
    - OPTIONS ..... 8
  - 2007 Nimbus** ..... 9
    - WEIGHTS/RATINGS ..... 9
    - CHASSIS ..... 9
    - LIVABILITY ..... 10
    - HEATING/COOLING/ELECTRICAL ..... 11
    - SAFETY ..... 11
    - OPTIONS ..... 11



# 2007 Foretravel Specifications

Specifications, Brochures, Floor Plans & Photos: Phenix, Nimbus

- [Phenix](#)
- [Nimbus](#)

## Brochures



- 2007 Nimbus was a brand new model, new style to the front and rear end caps, patio awning / cowling moved to top instead of side. New air entry step.
- There were three (3) special Nimbus 40' 40th Anniversary Editions built.

Commercial Flyer for Conversions

2007 Nimbus (partial)

## Photos



[2007 Nimbus](#)



2007 Phenix

# Specifications

## 2007 Phenix

### WEIGHTS/RATINGS

### WEIGHTS/RATINGS

- Base: \$731,620 / Optioned \$789,601
- Exterior Height: 12' 2 3/8"
- Exterior Width" 102"
- Exterior Length: 44' 8 1/2"
- Interior Height: 6' 9"
- Wheelbase: 304"
- Fresh water capacity: 130 gal.
- Holding capacity: 140 gal.
- Fuel capacity: 200 gal / 150 gal. on 40' & 42'
- GVWR: 47,300 lbs. / 46,800 lbs. on 40' & 42'
- GCWR: 60,000 lbs.
- GAWR: front 15,300, rear 23,000, tag 10,000

### CHASSIS

### CHASSIS

- Foretravel Travel Ride chassis and superstructure
- Cummins ISX 600 HP electronic diesel engine
- Allison 4000MH 6-speed transmission
- Allison dual-actuated transmission retarder with 6 position control
- Anti-lock braking system, air disc brake on all wheels
- Air hose for tire service

- Alcoa aluminum wheels with Dura-Brights protection(6)
- Automatic Traction Control (ATC)
- Auxiliary 12v air compressor
- Computerized air-leveling system
- Electronic cruise control with dash indicator light
- 3 engine batteries
- Remote battery jumper terminals
- Front tow retrieval points
- Koni FSD® shock absorbers (10)
- 10,000 lb GAWR lifting tag axle
- Power steering
- Fuel system with air and water purge
- Radiator coolant recovery system
- Rear axle ratio:4.30:1
- Remote battery jumper terminals
- Suspension: Firestone air springs, 10-bag, 100% air ride, outboard mounted
- Tires: 295/80R22.5
- Transmission oil cooler
- 320-amp alternator
- 18,000lb rated receiver hitch

## **COCKPIT FEATURES**

## **COCKPIT FEATURES**

- GPS navigation system with AM/FM/CD radio built in (with XM® satellite radio\* / nav. traffic)
- Back-up monitor
- Back-lit analogue dash gauges
- Battery boost switch
- Dual band cell phone antenna
- Cruise control with dash indicator light
- Driver drink holder
- Electric windshield/privacy shade
- Generator start/stop switch with auto voltage and temperature start system
- Hand held CB radio with weather band
- Pilot and co-pilot map lights
- Illuminated wood grain Smart Wheel® steering wheel
- Synchronized windshield wipers
- Tilt and telescoping steering wheel
- Touch pad transmission gear selector
- Villa® 6-way power air ride pilot seat
- Villa® 6-way power co-pilot seat with electric footrest
- 12v accessory receptacle at pilot and co-pilot area
- One-piece windshield with shade band
- Automotive compass and outdoor temperature display
- Dash AC controls for co-pilot

## **LIVABILITY**

## LIVABILITY

- Whole house audio/video package: (All systems HD compatible)
- 37" Sharp LCD TV in living room area
- 26" Sharp LCD TV in bedroom
- Universal Remote Control MX 950
- Integra® receiver
- Integra® CD/DVD player
- Powered subwoofer
- Stationary TV antenna with signal booster
- Accent lighting under counters, behind valances
- Amana® residential refrigerator with ice and water in door
- Floor-level accent lights
- G.E. Advantium microwave oven (black)
- Halogen accent lighting
- Halogen adjustable reading lamps in bedroom
- Silverleaf Total Coach system monitor
- Multiplex lighting control system
- Electric cook-top - surface mount
- Washer/dryer connections Interior Livability Features
- Dometic air filtration system
- Air-operated step-well cover
- Aqua-Hot® hydronic heating and hot water system
- Bedroom alarm clock
- Built-in safe with electronic push-button lock
- Tile floor (kitchen, bath and D/P area)
- Concealed cabinet door hinges
- Designer kitchen faucet with pull-out sprayer
- Electric window shades (except on slide-out end windows)
- Drinking water filter
- Ducted air conditioning
- Villa® chair and ottoman (floor plan dependent)
- Electric Fantastic fan in bath and toilet room, equipped with automatic closing rain sensor
- Generator start/stop switch in bedroom
- Handcrafted maple, walnut or cherry cabinetry
- All slide-out rooms flush w/sidewalls when retracted
- Pneumatic seal on all slide-out rooms
- Magazine rack and drink holder at co-pilot seat
- China toilet
- Shower head slider
- Built in soap and bottle storage in shower
- Tip-out storage below kitchen sink
- Motorized dining table
- Floor-to-ceiling wallpaper with chair rail
- Granite-Lite counter tops (kitchen, bath and living room)
- Granite-Lite desktop (floor plan dependent)
- Solid surface entry steps with storage below
- Granite-Lite nightstand and dresser tops
- Stainless steel 2-compartment kitchen sink with flush-mounted covers
- Vessel lavatory sink
- Telephone jack in living area and bedroom
- Villa® sofa

- Water fill switch with automatic shut-off
- Water pumps switch in kitchen, bath and utility station
- 60"x77" California queen bed
- Skylight in shower
- Self-closing drawer slides

## **HEATING/COOLING/ELECTRICAL**

## **HEATING/COOLING/ELECTRICAL**

- Aqua-Hot® hydronic heating and hot water system
- Coach batteries: 8d gel with heat probe(6)
- Comfort control center for roof AC's, Aqua-hot® and Auto Generator Start (AGS)
- Ducted air conditioning: Dometic 15,000 BTU roof AC with heat pumps (2), 3 units on 442/445
- Electrical surge-suppression system
- Low-battery generator auto-start
- Master battery disconnect switch
- Xantrex RS3000w inverter/charger
- 12.5kw Onan diesel generator in quiet box
- 50-amp shoreline connection with reel
- 22,500 BTU Automotive air conditioner
- 31,500 BTU Automotive heater/defroster

## **SAFETY**

## **SAFETY**

- All coaches built to RVIA specifications
- Allison transmission retarder with dual actuators
- Back-up camera (color)
- Carbon monoxide detector
- Smoke detector
- GFI protected circuits
- Chrome Ramco triple-head remote-controlled heated mirrors with blinking LED indicators
- Daytime running lights
- Docking lights(4)
- Emergency flasher lights
- Fire extinguishers(2)
- Fog lights
- Heat probe on coach batteries
- High-mounted additional LED brake light and turn signals
- Interior exit-assist handle
- Lighted entry-assist handle
- Egress window
- Deadbolt lock on entry door
- Security system

## EXTERIOR FEATURES

### EXTERIOR FEATURES

- Air-operated entry step
- Auxiliary rear brake lights and turn signals
- Carpeted storage bays
- Consolidated components bay with thermostatically controlled fan
- Convenient utility station: Electric fresh water hose reel, electric 50-amp shoreline reel, hot and cold water faucet, soap dispenser, cable TV and phone connection, paper towel holder, 120v receptacle, water pump switch
- Daytime running lights
- Docking lights (4) with switches in dash and bedroom
- Fog lights
- Fiberglass roof and subfloor (one piece)
- Fuel fill both sides of coach
- Flush kit(s) on holding tank(s)
- Integrated fairings on front and rear end caps with 1 electronic Girard® roof-mounted automatic patio awning and 3 awning shells
- Hidden air horns
- SE-GI tinted and insulated windows
- Cargo Tray - full size
- Parallel side mounted storage doors below slide rooms
- Parallel top mounted storage doors in all other locations (except d1)
- Keyless remote locks on entry door and storage bays
- Touch-pad to unlock entry door
- Lighted entry door with assist handle
- Door bell
- LED marker lights
- PTL® entry door with screen and kick guard
- Porch light
- Manibloc plumbing system
- Rear mud flap with brushed stainless accent
- Painted exterior graphics with full body paint and double clear-coat finish
- Chrome Ramco triple-head remote-controlled and heated mirrors with integrated LED turn indicators
- Storage bay lights
- Trailer wiring
- TV outlet and 12v outlet storage bay
- Roof AC drains

## OPTIONS

### OPTIONS

- 32" Sharp LCD TV on swing arm
- AM/FM/CD w/speakers wired to TV
- Universal Remote Control® MX 950
- Clear shield paint protection below windshield
- Vorad control
- Solar battery charger



- Xenon® low beam headlights
  - Additional roof-mounted patio awnings (1 or 3)
  - Girard electric window awnings
  - In-floor electric tile heat
  - Sirius Satellite radio
  - 32" Sharp® LCD TV in bedroom
  - VCR
  - HD satellite receiver with DVR\*
  - Universal Remote Control® MX 3000
  - 2nd Elan Via® touch-panel in bedroom
  - Build-in vacuum cleaner
  - Washer/dryer
  - 100 lb. freezer
  - Solid surface shower foot rest
  - 2 Side mount cameras
  - Cell phone repeater with amplifier
  - Motosat Datastorm F1 Mobile Internet
  - Bluetooth cell phone option
- 

## 2007 Nimbus

### WEIGHTS/RATINGS

### WEIGHTS/RATINGS

- Exterior Height 12'2 3/8
- Exterior Width 102'
- Wheelbase: 228" (38')
- Fresh water capacity: 95 gal.
- Gray water capacity: 100 gal.
- Black water capacity: 50 gal.
- LP Tank: 17 gal.
- Fuel capacity 36' 120 gal 40', 42' 150 gal 36'
- GVWR 34,800 lbs.
- GCWR 51,000 lbs. 40' (400HP)
- GVWR 44,800 lbs.
- GCWR 60,000 lbs. 40' and 42' (500HP)
- GVWR 46,800 lbs.
- GCWR 60,000 lbs.

### CHASSIS

### CHASSIS

- TravelRide Chassis by Foretravel
- Cummins ISL 400 HP engine (Optional 500HP on 40')
- Cummins ISM 500 HP engine on 42'

- Allison transmission MH 3000R and MH4000R Allison transmission retarder
- Air disc brakes on all wheels
- ABS anti-lock braking system with automatic slack adjusters
- Alcoa aluminum wheels with Dura-Bright protection (4 on 36', 6 on 40' & 42')
- Air quick connect in storage bay
- Automatic traction control
- Auxiliary 12v air compressor
- Koni FSD shock absorbers
- HWH Computerized air-leveling system
- Front tow retrieval points
- Power steering
- Cummins fuel filter/water separator
- Radiator coolant recovery system
- Rear axle ratio: 4.78:1 (4.33:1 optional 500 HP)
- Suspension: Firestone air springs,
- All air ride with 8 Outboard-mounted air springs (2 on Lifting tag axle on 40' & 42')
- Tires: 295/80R22.
- 5 speakers(including AM/FM, DVD/CD)
- Floor-level accent lights
- Halogen adjustable reading lamps in living room and bedroom
- Inverter/Power monitor panel in living room area
- Recessed Seaward 2-burner cook top with electronic ignition
- Dometic side-by-side 12 cu. Ft. refrigerator
- Microwave/convection oven
- Washer/dryer connections
- 15 LCD" TV in Bedroom

## LIVABILITY

## LIVABILITY

- Air-operated step-well cover with dual controls
- Tile flooring (kitchen and bath)
- Color-coordinated throw pillows (sofa and bed)
- Designer window treatment with day/night shades
- Designer kitchen faucet with pullout sprayer
- Drinking water and ice maker water filter
- Recliner (floor plan dependent)
- Electric Fantastic Fan in bath and toilet room, equipped with auto closing rain sensor
- Handcrafted stained cabinetry
- All slide-out rooms flush with sidewalls when retracted
- Pneumatic seal on all slide-out rooms
- Magazine rack and drink holder at co-pilot seat
- Kitchen pantry
- China toilet
- Brushed nickel cabinet hardware
- Showerhead slider Solid surface countertops (kitchen and bath)
- Solid surface desktop (floor plan dependent)
- Solid surface dinette table with leaf
- Solid surface nightstand tops
- Stainless steel kitchen sink with covers

- Storage under entry step
- Telephone jack in living area and bedroom
- Queen bed (60" x 77") (66" x 77" floorplan dependent)
- Floor-to-ceiling wallpaper with matching border and chair rail
- Skylight above shower
- Concealed door hinges
- Tip-out storage below kitchen sink
- Intellitec Multiplex Lighting System

## **HEATING/COOLING/ELECTRICAL**

## **HEATING/COOLING/ELECTRICAL**

- Comfort control center for AC and heating
- Ducted air conditioning with 2 15,000 BTU roof air 42' with 3 15,000 BTU
- Hydro-Hot® hydronic heating
- 12 volt battery disconnect
- Electrical surge-suppression system
- Low-battery generator auto-start
- Xantrex RS 2000w inverter/charger
- 8.0 kw diesel generator in quiet box (12.5 kw diesel generator on 42')
- 50-amp shoreline connection
- 28,000 BTU automotive air conditioner
- 52,000 BTU automotive heater/defroster

## **SAFETY**

## **SAFETY**

- All coaches built to RVIA specifications
- GFI protected circuits
- Polarity meter/monitor - 120v
- Daytime running lights
- Emergency flasher lights
- Fire extinguishers
- (2) High-mounted additional brake light
- Interior exit-assist handle
- Lighted entry-door assist handle
- LP leak detector
- Smoke detector
- Carbon monoxide detector
- Drive and passenger 3-point seat belts and shoulder harnesses

## **OPTIONS**

## **OPTIONS**

- Electric utility reels,

- LP connection,
- black and gray flush kits,
- built-in vacuum cleaner
- HD satellite package:
- HD satellite, 1 HD receiver, Dolby® Sound 37"
- LCD TV in living room 20" or 23"
- LCD TV in Bed room
- Outdoor entertainment package: 32"
- LCD TV on swing-out arm,
- AM/FM/CD
- In-Motion Satellite antenna -TracStar SV-360 DHD
- Satellite receiver
- Satellite radio
- GPS navigation
- VCR AM/FM DVD/CD bedroom stereo
- Satellite radio (XM or SIRIUS requires subscription)
- Shower footrest
- GE Advantium oven
- Security system
- Joey® Bed cargo tray
- Solar battery charger
- Washer/dryer combination
- Girard electric window awnings
- 100 lb Freezer
- 10 kw generator 12.5 kw generator
- Clear shield paint protection below windshield
- Keyless remote locks on storage doors
- Hand held CB radio with weather band
- Universal Remotes -MX850 and MX3000
- Keyless touchpad for entry door

From:

<https://wiki.foreforums.com/> - **Foretravel Wiki**

Permanent link:

[https://wiki.foreforums.com/through\\_the\\_years:specs:2007](https://wiki.foreforums.com/through_the_years:specs:2007)

Last update: **2024/08/10 09:03**

