

## Table of Contents

<b>2012 Foretravel Specifications</b>	3
<i><b>Brochures</b></i>	3
<i><b>Photos</b></i>	3
<b>Specifications</b>	4
<b>2012 IH45 / Phenix / Nimbus</b>	4
WEIGHTS/RATINGS	5
CHASSIS	6
EXTERIOR FEATURES	6
COCKPIT FEATURES	7
APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO	8
LIVABILITY	9
SAFETY	9
HEATING/COOLING/ELECTRICAL	10



# 2012 Foretravel Specifications


Specifications, Brochures, Floor Plans & Photos, IH-45, Phenix, Nimbus

- [IH45 Specifications](#)
- [Phenix Specifications](#)
- [Nimbus Specifications](#)

## Brochures

[2012 Full Line Brochure IH-45/Phenix/Nimbus](#)

---



[2012 Popular Floor Plans](#)

## Photos



2012 IH-45



2012 Nimbus

## Specifications

### 2012 IH45 / Phenix / Nimbus

#### WEIGHTS/RATINGS

## WEIGHTS/RATINGS

### IH

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- LP tank capacity: xx gal.
- Overall Height: 13' 2" (to top of AC) / 13' 5 1/2" (to top of satellite dome)
- Interior Height: 7'
- Exterior Width 102"
- Wheelbase: 316"
- Available Lengths: 40,42,45'
- Wheel Cut: 54-degree
- GVWR: 54,000lb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

### Phenix

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 40,42,45'
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

### Nimbus

- Fresh water capacity: 135 gal, 95 wo/tag
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 150 gal, 120 wo/tag
- LP tank capacity: 17 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 34,36,38,40 wo/tag, 40,42,45' w/tag
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.

- GCWR: xxxlbs.

## CHASSIS

## CHASSIS

IH_45	Phenix	Nimbus	Chassis Features
•	•	•	ABS anti lock braking system w/automatic slack adjusters
•	•	•	Air disc brakes on all wheels
•	•	•	Air hose for tire service
•	•	•	Air quick connect in storage bay
•	•	•	Alcoa aluminum wheels w/ Dura Bright protection
		• (36 38)	Allison 6 speed transmission MH 3000R
•	•	• (40 42 45)	Allison 6 speed transmission MH 4000R
•	•	•	Allison transmission retarder
		• (36 38)	Alternator 160 amp
		• (40 42 45)	Alternator 200 amp
•	•	(40 42 45)	Alternator 320 amp
•	•	•	Automatic traction control (ATC)
•	•	•	Auxiliary 12v air compressor
•	•	•	Chassis TravelRide by Foretravel
•	•	•	4 outboard mounted air bags (drive axle)
•	•	•	2 air bags (IFS front axle)
•	•	•	2 air bags (tag axle)
		•	Engine Cummins ISL 425 HP
		•	Engine Cummins ISX 500 HP
•	•		Engine Cummins ISX 600 650 HP
•	•	•	Fuel filter/water separator
•	•	•	Fuel system w/air & water purge
		*	Front axle straight beam
•	•	•	Front axle IFS (independent front suspension)
•	•	•	HWH computerized air leveling system
•	*	*	HWH active air system
•	•	•	Rear axle ratio: 4.30:1
		• (36 38)	Rear axle ratio: 4.78:1
	•	•	Receiver hitch 18,000 lb. rated
		•	Michelin Tires: 295/80R22.5
	•		Michelin Tires: 315/80R22.5
•			Michelin Tires: 365/70R22.5 Front 315/80R22.5 Rear

## EXTERIOR FEATURES

## EXTERIOR FEATURES

IH_45	Phenix	Nimbus	Exterior Features
*	*	*	Awning, Girard electric door
2	2	1	Awning, Girard roof mounted, electric patio

<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Exterior Features</b>
•	•	*	Awning, shells
*	*	*	Awnings, Girard electric window
	*	*	Awnings, Zip Dee manual window
2	2	1	Cargo tray, sliding
•	•	•	Carpeted storage bays
•	•	•	Consolidated components bay
•	•	•	Docking lights, (4) with switch in dash & bedroom
•	•	•	Dual halogen headlamps
•	•	•	Dual pane tinted & insulated windows Easy view one piece windshield
•	•	•	Easy view one piece windshield
•	•	•	Electric dump valves
		•	Electric entry step
•	•	•	Electric entry step (Executive)
•	•	•	Electric utility reels water & power
•	•	•	Fiberglass roof & sub floor (one piece)
•	•	•	Flush kit
•	•	•	Fog lights
*	*	*	Freezer, 100lb in storage bay
•	•	•	Fuel fill on both sides of coach
•	•	•	Gray water bypass for holding tank
•	•	•	Heated/remote triple head chrome mirrors w/LED turn signals
•	•	•	Lighted entry door w/ assist handle, keypad & doorbell
*	*	•	LP Connection
•	•	•	Fresh water plumbing supply manifold
•	•	•	Marker lights, LED Paint protection below windshield
•	•	•	Paint protection below windshield
•	•	•	Painted exterior, full body paint w/ clear coat finish
•	•	•	Parallel storage doors
•	•	•	Remote storage door locks
•	•	•	Roof AC Drains
•	•		Stainless steel lined utility bay
•	•	•	Storage bay lights
•	•	•	Trailer wiring
•	•	•	TV antenna electric with booster
•	•	•	TV outlet and 12v outlet in storage bay
•	•	•	Utility Station: Fresh water connection, phone connection, water fill switch, hot & cold water faucet, 120v receptacle & soap dispenser 50 amp shoreline connection, water pump switch, cable TV
•	•	*	Xenon low beam headlights

## COCKPIT FEATURES

## COCKPIT FEATURES

<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Dash &amp; Cockpit Features</b>
•	•	•	12 volt accessory receptacle
•	•	•	Battery boost switch / auto charge

<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Dash &amp; Cockpit Features</b>
•	•	•	Camera, motorized back up with control at dash
•	•	•	Cameras, mirror mount w/ color back up monitor
•	•	•	CB at dash, hand held
•	•	•	Compass & outdoor temperature
		•	Co pilot seat, Villa leather 6 way power w/ footrest
•	•		Co pilot seat, Villa residential 6 way power w/footrest & headrest
•	•	•	Dash AC controls for co pilot
		•	Gauges, backlit analogue
•	•	•	Generator auto start/stop
•	•	•	GPS/AM/FM/CD in dash
•	•	*	Monitor, passenger satellite/GPS
•	•	*	Map lights, pilot & copilot
•	•	•	MP3 input at dash
•	•	•	Pedals, throttle & brake power adjust
	•	•	Pilot seat, Villa leather 6 way power
•	*	*	Pilot seat, Knoedler air ride
•	*	*	Silverleaf Glass Dash
	•	•	Silverleaf VMS 440 (eng./trans. monitor)
•	•	•	Steering wheel, power tilt & telescoping
•	•	•	Steering wheel, Smart Wheel, w/Radio Controls
•	•	•	Transmission gear selector, touch pad
•	•	•	Windshield / privacy shade & sunblock, electric

## APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

## APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Appliances Electronics Lighting Audio Video</b>
•	•	•	Alarm Clock, built in bedroom
*	*	*	Battery charger, solar
•	•	•	Component audio & digital video cables
•	•	•	Cook top, 2 burner electric
*	*	•	Cook top, 2 burner LP w/electronic ignition (recessed)
•	•	•	Home theater speaker system in LR
•	•	*	DVD Blue ray™ high def
		•	DVD Player
•	*	*	Interior LED Lighting
•	•	•	Inverter/power monitor panel in living room area
•	•	*	LED Lighting, accent under counters & window trim
•	•	•	Lighting, floor lights
•	•	•	Lighting, Halogen reading lamps in bedroom
•	•	•	Microwave
•	•	*	Refrigerator, 120v electric w/ice & water in door
*(14cu ft.)	*(14cu ft.)	•	Refrigerator, Dometic side by side 12 cu. ft
•	•		Satellite radio, XM, SIRIUS
		•	Satellite system, in motion w/HD receiver



<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Appliances Electronics Lighting Audio Video</b>
•	•	*	Satellite system, in motion w/ HD DVR receiver
•	•	*	Satellite system, 2nd HD receiver
*	*	*	Patio Entertainment Center
*	*	*	Stationary Satellite w/ HD receiver
•	•		Silverleaf Total Coach monitor
•	•	•	Tire Pressure Sensors, Remote
•	•	•	TV antenna electric with booster
•	•	•	Washer/dryer connections

## LIVABILITY

## LIVABILITY

<b>IH_45</b>	<b>Phenix</b>	<b>Nimbus</b>	<b>Interior Livability Features</b>
•	•	•	Powered step well cover with two switch locations
•	•	•	China toilet
•	•	•	Color coordinated throw pillows (sofa & bed)
•	•	•	Designer window treatment w/ electric day/night shades
•	•	•	Electric exhaust fan in bath & toilet room w/auto rain sensor
•	•	•	Filter, drinking water & ice maker water
•	•	•	Floor Heat, electric (with approved flooring)
•	•	•	Kitchen pantry
•	•	•	Lighting, multiplex system with dimmers
•	•	•	Queen bed (60" x 77") (66" x 77" floorplan dependent)
*	*	*	King bed (72" x 77") (w / wo) Slumber Ease System
•	•	•	Slide out rooms, flush w/ sidewalls when retracted
•	•	•	Slide out rooms, pneumatic sealed
•	•	•	Natural Quartz countertops (kitchen & bath)
•	•	•	Natural Quartz desktop (floorplan dependent)
•	•	•	Natural Quartz dinette table
•	•	•	Natural Quartz nightstand tops
•	•	•	Stainless steel kitchen sink w/covers
•	•	•	Telephone jack in living area & bedroom
•	•	• (40 42)	Tile floor (kit, bath, D & P area)
•	•	•	Vacuum, built in
*	*	*	Washer dryer combination
* (FD)	* (FD)	* (FD)	Washer dryer, stacked
•	•	•	Wood, handcrafted cherry, walnut or maple cabinetry
*	*		Wood, Bubinga cabinetry
*	*	*	Wood, African Mahogany cabinetry

## SAFETY

## SAFETY

IH_45	Phenix	Nimbus	Safety Features
•	•	•	All coaches built to RVIA specifications
•	•	•	Carbon monoxide detector
•	•	•	Daytime running lights
•	•	•	Fire extinguishers (2)
•	•	•	GFI protected circuits
•	•	•	High mounted additional brake lights
•	•	•	Lighted entry door assist handle
• (w/ LP)	• (w/ LP)	•	LP leak detector
•	•	•	Electronic Safe
•	•	•	Security system
•	•	•	Smoke detector

HEATING/COOLING/ELECTRICAL

HEATING/COOLING/ELECTRICAL

IH_45	Phenix	Nimbus	Heating Cooling Electrical
		• (36 38)	10kw diesel generator in quiet box
	•	• (40 42)	12.5kw diesel generator in quiet box
•	•	•	12 volt battery disconnect
2	2	•	2800 w inverter/charger
•	•	*	Onan Hybrid 12/18 Gen
•	•	•	50 amp shoreline connection
•	•	•	Air conditioning & heating with hidden returns
		• (36 38)	Air conditioning, ducted with 2 roof airs
• (40 42)	• (40 42)	•	Air conditioning, ducted with 3 roof airs
• (45)	• (45)	• (45)	Air conditioning, ducted with 4 roof airs
•	•	•	Auto temp start for generator
•	•	•	Electrical surge suppression system
•	•	•	Heat pumps on roof AC's
•	•	•	Hydronic heating
•	•	•	Low battery generator auto start

From:

<https://wiki.foreforums.com/> - Foretravel Wiki

Permanent link:

[https://wiki.foreforums.com/through\\_the\\_years:specs:2012](https://wiki.foreforums.com/through_the_years:specs:2012)

Last update:

2024/08/06 09:48

