Table of Contents

2012 Foretravel Specifications	
Brochures	3
Photos	
Specifications	۷
2012 IH45 / Phenix / Nimbus	∠
WEIGHTS/RATINGS	5
CHASSIS	6
EXTERIOR FEATURES	
COCKPIT FEATURES	
APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO	8
LIVABILITY	
SAFETY	<u>c</u>
HEATING/COOLING/ELECTRICAL	10


2012 Foretravel Specifications

Specifications, Brochures, Floor Plans & Photos, IH-45, Phenix, Nimbus

- IH45 Specifications
- Phenix Specifications
- Nimbus Specifications

Brochures

2012 Full Line Brochure IH-45/Phenix/Nimbus



2012 Popular Floor Plans

Photos



2012 IH-45



2012 Nimbus

Specifications

2012 IH45 / Phenix / Nimbus

WEIGHTS/RATINGS

WEIGHTS/RATINGS

ΙH

Fresh water capacity: 135 gal.
Holding tank capacity: 145 gal.
Fuel tank capacity: 200 gal.

• LP tank capacity: xx gal.

• Overall Height: 13' 2" (to top of AC) / 13' 5 1/2" (to top of satellite dome)

Interior Height: 7'Exterior Width 102"Wheelbase: 316"

Available Lengths: 40,42,45¹

Wheel Cut: 54-degree
GVWR: 54,000lb.
Front GAWR: xxxlb.
Rear GAWR: xxxlb.

Tag GAWR: xxxlb.

GCWR: xxxlbs.

Phenix

Fresh water capacity: 135 gal.
Holding tank capacity: 145 gal.
Fuel tank capacity: 200 gal.

• Overall Height: 12' 3" (to top of AC)

Interior Height: x'Exterior Width 102"Wheelbase: xxx"

Available Lengths: 40,42,45¹

GVWR: xxxlb.
Front GAWR: xxxlb.
Rear GAWR: xxxlb.
Tag GAWR: xxxlb.
GCWR: xxxlbs.

Nimbus

• Fresh water capacity: 135 gal, 95 wo/tag

• Holding tank capacity: 145 gal.

• Fuel tank capacity: 150 gal, 120 wo/tag

• LP tank capacity: 17 gal.

• Overall Height: 12' 3" (to top of AC)

Interior Height: x'Exterior Width 102"Wheelbase: xxx"

Available Lengths: 34,36,38,40 wo/tag, 40,42,45' w/tag

GVWR: xxxlb.
Front GAWR: xxxlb.
Rear GAWR: xxxlb.
Tag GAWR: xxxlb.

• GCWR: xxxlbs.

CHASSIS

CHASSIS

IH_45	Phenix	Nimbus	Chassis Features
•	•	•	ABS anti lock braking system w/automatic slack adjusters
•	•	•	Air disc brakes on all wheels
•	•	•	Air hose for tire service
•	•	•	Air quick connect in storage bay
•	•	•	Alcoa aluminum wheels w/ Dura Bright protection
		• (36 38)	Allison 6 speed transmission MH 3000R
•	•	• (40 42 45)	Allison 6 speed transmission MH 4000R
•	•	•	Allison transmission retarder
		• (36 38)	Alternator 160 amp
		• (40 42 45)	Alternator 200 amp
•	•	(40 42 45)	Alternator 320 amp
•	•	•	Automatic traction control (ATC)
•	•	•	Auxiliary 12v air compressor
•	•	•	Chassis TravelRide by Foretravel
•	•	•	4 outboard mounted air bags (drive axle)
•	•	•	2 air bags (IFS front axle)
•	•	•	2 air bags (tag axle)
		•	Engine Cummins ISL 425 HP
		•	Engine Cummins ISX 500 HP
•	•		Engine Cummins ISX 600 650 HP
•	•	•	Fuel filter/water separator
•	•	•	Fuel system w/air & water purge
		*	Front axle straight beam
•	•	•	Front axle IFS (independent front suspension)
•	•	•	HWH computerized air leveling system
•	*	*	HWH active air system
•	•	•	Rear axle ratio: 4.30:1
		• (36 38)	Rear axle ratio: 4.78:1
	•	•	Receiver hitch 18,000 lb. rated
		•	Michelin Tires: 295/80R22.5
	•		Michelin Tires: 315/80R22.5
•			Michelin Tires: 365/70R22.5 Front 315/80R22.5 Rear

EXTERIOR FEATURES

EXTERIOR FEATURES

IH_45	Phenix	Nimbus	Exterior Features
*	*	*	Awning, Girard electric door
2	2	1	Awning, Girard roof mounted, electric patio

IH 45	Phenix	Nimbus	Exterior Features		
•	•	*	Awning, shells		
*	*	*	Awnings, Girard electric window		
	*	*	Awnings, Zip Dee manual window		
2	2	1	Cargo tray, sliding		
•	•	•	Carpeted storage bays		
•	•	•	Consolidated components bay		
•	•	•	Docking lights, (4) with switch in dash & bedroom		
•	•	•	Dual halogen headlamps		
•	•	•	Dual pane tinted & insulated windows Easy view one piece windshield		
•	•	•	Easy view one piece windshield		
•	•	•	Electric dump valves		
		•	Electric entry step		
•	•	•	Electric entry step (Executive)		
•	•	•	Electric utility reels water & power		
•	•	•	Fiberglass roof & sub floor (one piece)		
•	•	•	Flush kit		
•	•	•	Fog lights		
*	*	*	Freezer, 100lb in storage bay		
•	•	•	Fuel fill on both sides of coach		
•	•	•	Gray water bypass for holding tank		
•	•	•	Heated/remote triple head chrome mirrors w/LED turn signals		
•	•	•	_ighted entry door w/ assist handle, keypad & doorbell		
*	*	•	LP Connection		
•	•	•	Fresh water plumbing supply manifold		
•	•	•	Marker lights, LED Paint protection below windshield		
•	•	•	Paint protection below windshield		
•	•	•	Painted exterior, full body paint w/ clear coat finish		
•	•	•	Parallel storage doors		
•	•	•	Remote storage door locks		
•	•	•	Roof AC Drains		
•	•		Stainless steel lined utility bay		
•	•	•	Storage bay lights		
•	•	•	Trailer wiring		
•	•	•	TV antenna electric with booster		
•	•	•	TV outlet and 12v outlet in storage bay		
•	•	•	Utility Station: Fresh water connection, phone connection, water fill switch, hot & cold water faucet, 120v receptacle & soap dispenser 50 amp shoreline connection, water pump switch, cable TV		
•	•	*	Xenon low beam headlights		

COCKPIT FEATURES

COCKPIT FEATURES

IH_45	Phenix	Nimbus	Dash & Cockpit Features	
•	•	•	12 volt accessory receptacle	
•	•	•	Battery boost switch / auto charge	

IH_45	Phenix	Nimbus	Dash & Cockpit Features		
•	•	•	Camera, motorized back up with control at dash		
•	•	•	Cameras, mirror mount w/ color back up monitor		
•	•	•	CB at dash, hand held		
•	•	•	Compass & outdoor temperature		
		•	Co pilot seat, Villa leather 6 way power w/ footrest		
•	•		Co pilot seat, Villa residential 6 way power w/footrest & headrest		
•	•	•	Dash AC controls for co pilot		
		•	Gauges, backlit analogue		
•	•	•	Generator auto start/stop		
•	•	•	GPS/AM/FM/CD in dash		
•	•	*	Monitor, passenger satellite/GPS		
•	•	*	Map lights, pilot & copilot		
•	•	•	MP3 input at dash		
•	•	•	Pedals, throttle & brake power adjust		
	•	•	Pilot seat, Villa leather 6 way power		
•	*	*	Pilot seat, Knoedler air ride		
•	*	*	Silverleaf Glass Dash		
	•	•	Silverleaf VMS 440 (eng./trans. monitor)		
•	•	•	Steering wheel, power tilt & telescoping		
•	•	•	Steering wheel, Smart Wheel, w/Radio Controls		
•	•	•	Transmission gear selector, touch pad		
•	•	•	Windshield / privacy shade & sunblock, electric		

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

IH_45	Phenix	Nimbus	Appliances Electronics Lighting Audio Video
•	•	•	Alarm Clock, built in bedroom
*	*	*	Battery charger, solar
•	•	•	Component audio & digital video cables
•	•	•	Cook top, 2 burner electric
*	*	•	Cook top, 2 burner LP w/electronic ignition (recessed)
•	•	•	Home theater speaker system in LR
•	•	*	DVD Blue ray™ high def
		•	DVD Player
•	*	*	Interior LED Lighting
•	•	•	Inverter/power monitor panel in living room area
•	•	*	LED Lighting, accent under counters & window trim
•	•	•	Lighting, floor lights
•	•	•	Lighting, Halogen reading lamps in bedroom
•	•	•	Microwave
•	•	*	Refrigerator, 120v electric w/ice & water in door
*(14cu ft.)	*(14cu ft.)	•	Refrigerator, Dometic side by side 12 cu. ft
•	•		Satellite radio, XM, SIRIUS
		•	Satellite system, in motion w/HD receiver

IH_45	Phenix	Nimbus	Appliances Electronics Lighting Audio Video
•	•	*	Satellite system, in motion w/ HD DVR receiver
•	•	*	Satellite system, 2nd HD receiver
*	*	*	Patio Entertainment Center
*	*	*	Stationary Satellite w/ HD receiver
•	•		Siverleaf Total Coach monitor
•	•	•	Tire Pressure Sensors, Remote
•	•	•	TV antenna electric with booster
•	•	•	Washer/dryer connections

LIVABILITY

LIVABILITY

Phenix	Nimbus	Interior Livability Features		
•	•	Powered step well cover with two switch locations		
•	•	China toilet		
•	•	Color coordinated throw pillows (sofa & bed)		
•	•	Designer window treatment w/ electric day/night shades		
•	•	Electric exhaust fan in bath & toilet room w/auto rain sensor		
•	•	Filter, drinking water & ice maker water		
•	•	Floor Heat, electric (with approved flooring)		
•	•	Kitchen pantry		
•	•	Lighting, multiplex system with dimmers		
•	•	Queen bed (60" x 77") (66" x 77" floorplan dependent)		
*	*	King bed (72" x 77") (w / wo) Slumber Ease System		
•	•	Slide out rooms, flush w/ sidewalls when retracted		
•	•	Slide out rooms, pneumatic sealed		
•	•	Natural Quartz countertops (kitchen & bath)		
•	•	Natural Quartz desktop (floorplan dependent)		
•	•	Natural Quartz dinette table		
•	•	Natural Quartz nightstand tops		
•	•	Stainless steel kitchen sink w/covers		
•	•	Telephone jack in living area & bedroom		
•	• (40 42)	Tile floor (kit, bath, D & P area)		
•	•	Vacuum, built in		
*	*	Washer dryer combination		
* (FD)	* (FD)	Washer dryer, stacked		
•	•	Wood, handcrafted cherry, walnut or maple cabinetry		
*		Wood, Bubinga cabinetry		
*	*	Wood, African Mahogany cabinetry		
	• • • • • • • • • • • • • • • • • • •			

SAFETY

SAFETY

IH_45	Phenix	Nimbus	Safety Features
•	•	•	All coaches built to RVIA specifications
•	•	•	Carbon monoxide detector
•	•	•	Daytime running lights
•	•	•	Fire extinguishers (2)
•	•	•	GFI protected circuits
•	•	•	High mounted additional brake lights
•	•	•	Lighted entry door assist handle
• (w/ LP)	• (w/ LP)	•	LP leak detector
•	•	•	Electronic Safe
•	•	•	Security system
•	•	•	Smoke detector

HEATING/COOLING/ELECTRICAL

HEATING/COOLING/ELECTRICAL

IH_45	Phenix	Nimbus	Heating Cooling Electrical
		• (36 38)	10kw diesel generator in quiet box
	•	• (40 42)	12.5kw diesel generator in quiet box
•	•	•	12 volt battery disconnect
2	2	•	2800 w inverter/charger
•	•	*	Onan Hybrid 12/18 Gen
•	•	•	50 amp shoreline connection
•	•	•	Air conditioning & heating with hidden returns
		• (36 38)	Air conditioning, ducted with 2 roof airs
• (40 42)	• (40 42)	•	Air conditioning, ducted with 3 roof airs
• (45)	• (45)	• (45)	Air conditioning, ducted with 4 roof airs
•	•	•	Auto temp start for generator
•	•	•	Electrical surge suppression system
•	•	•	Heat pumps on roof AC's
•	•	•	Hydronic heating
•	•	•	Low battery generator auto start

From:

https://wiki.foreforums.com/ - Foretravel Wiki

Permanent link:

https://wiki.foreforums.com/through_the_years:specs:2012

Last update: 2024/08/06 09:48

