

Table of Contents

| | |
|---|----|
| 2013 Foretravel Specifications | 3 |
| <i>Brochures</i> | 3 |
| <i>Photos</i> | 3 |
| Specifications | 4 |
| 2013 IH45 / Phenix / Nimbus | 4 |
| WEIGHTS/RATINGS | 5 |
| CHASSIS | 6 |
| EXTERIOR FEATURES | 6 |
| COCKPIT FEATURES | 7 |
| APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO | 8 |
| LIVABILITY | 9 |
| SAFETY | 10 |
| HEATING/COOLING/ELECTRICAL | 10 |

2013 Foretravel Specifications

Specifications Brochures & Photos, IH-45, Phenix, Nimbus

- [IH45 Specifications](#)
- [Phenix Specifications](#)
- [Nimbus Specifications](#)

Brochures

[2013 Foretravel Full Product Brochure](#)



[2013/2014 Example Floor Plans](#)



[2013/2014 Example Floor Plans](#)

Photos



2013 IH-45



2013 Nimbus



2013 Phenix

Specifications

2013 IH45 / Phenix / Nimbus

WEIGHTS/RATINGS

WEIGHTS/RATINGS

IH

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- LP tank capacity: xx gal.
- Overall Height: 13' 2" (to top of AC)
- Interior Height: 7'
- Exterior Width 102"
- Wheelbase: 316"
- Available Lengths: 40,42,45'
- GVWR: 54,000lb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

Phenix

- Fresh water capacity: 135 gal.
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 200 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 40,42,45'
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.
- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

Nimbus

- Fresh water capacity: 135 gal, 95 wo/tag
- Holding tank capacity: 145 gal.
- Fuel tank capacity: 150 gal, 120 wo/tag
- LP tank capacity: 17 gal.
- Overall Height: 12' 3" (to top of AC)
- Interior Height: x'
- Exterior Width 102"
- Wheelbase: xxx"
- Available Lengths: 34,36,38,40 wo/tag, 40,42,45' w/tag
- GVWR: xxxlb.
- Front GAWR: xxxlb.
- Rear GAWR: xxxlb.

- Tag GAWR: xxxlb.
- GCWR: xxxlbs.

CHASSIS

CHASSIS

| IH | Phenix | Nimbus | Chassis Features |
|----|--------|--------------|--|
| • | • | • | ABS anti lock braking system w/automatic slack adjusters |
| • | • | • | Air disc brakes on all wheels |
| • | • | • | Air hose for tire service |
| • | • | • | Air quick connect in storage bay |
| • | • | • | Alcoa aluminum wheels w/ Dura Bright protection |
| | | • (36 38) | Allison 6 speed transmission MH 3000R |
| • | • | • (40 42 45) | Allison 6 speed transmission MH 4000R |
| • | • | • | Allison transmission retarder |
| | | • (36 38) | Alternator 160 amp |
| | | • (40 42 45) | Alternator 200 amp |
| • | • | (40 42 45) | Alternator 320 amp |
| • | • | • | Automatic traction control (ATC) |
| • | • | • | Auxiliary 12v air compressor |
| • | • | • | Chassis TravelRide by Foretravel |
| • | • | • | 4 outboard mounted air bags (drive axle) |
| • | • | • | 2 air bags (IFS front axle) |
| • | • | • | 2 air bags (tag axle) |
| | | • | Engine Cummins ISL 450 HP |
| | | • | Engine Cummins ISX 500 HP |
| • | • | | Engine Cummins ISX 600 HP |
| • | • | • | Fuel filter/water separator |
| • | • | • | Fuel system w/air & water purge |
| • | • | • | Front axle IFS (independent front suspension) |
| • | • | • | HWH computerized air leveling system |
| • | * | * | HWH active air system |
| • | • | • | Rear axle ratio: 4.30:1 |
| | | • (36 38) | Rear axle ratio: 4.78:1 |
| | • | • | Receiver hitch 18,000 lb. rated |
| • | | | 20,000 receiver hitch |
| | | • | Michelin Tires: 295/80R22.5 |
| | • | | Michelin Tires: 315/80R22.5 |
| • | | | Michelin Tires: 365/70R22.5 Front 315/80R22.5 Rear |

EXTERIOR FEATURES

EXTERIOR FEATURES

| IH_45 | Phenix | Nimbus | Exterior Features |
|-------|--------|--------|------------------------------|
| * | * | * | Awning, Girard electric door |

| IH_45 | Phenix | Nimbus | Exterior Features |
|--------------|---------------|---------------|--|
| 2 | 2 | 1 | Awning, Girard roof mounted, electric patio |
| • | • | * | Awning, Girard shells |
| * | * | * | Awnings, Girard electric window |
| | * | * | Awnings, Zip Dee manual window |
| 2 | 2 | 1 | Cargo tray, sliding |
| • | • | • | Carpeted storage bays |
| • | • | • | Consolidated components bay |
| • | • | • | Docking lights, (4) with switch in dash & bedroom |
| • | • | • | Dual halogen headlamps |
| • | • | • | Dual pane tinted & insulated windows |
| • | • | • | Easy view one piece windshield |
| • | • | • | Electric Dump Valves |
| | | • | Electric entry step |
| • | • | | Electric entry step (Executive) |
| • | • | • | Electric utility reels water & power |
| • | • | • | Fiberglass roof & sub floor (one piece) |
| • | • | • | Flush kit |
| • | • | • | Fog lights |
| * | * | * | Freezer, 100lb in storage bay |
| • | • | • | Fuel fill on both sides of coach |
| • | • | • | Gray water bypass for holding tank |
| • | • | • | Heated/remote triple head chrome mirrors w/LED turn signals |
| • | • | • | Lighted entry door w/ assist handle, keypad & doorbell |
| * | * | • | LP Connection |
| • | • | • | Fresh water plumbing supply manifold |
| • | • | • | Marker lights, LED |
| • | • | • | Paint protection below windshield |
| • | • | • | Painted exterior, full body paint w/ clear coat finish |
| • | • | • | Parallel storage doors |
| • | • | • | Remote storage door locks |
| • | • | • | Roof AC Drains |
| • | • | | Stainless steel lined utility bay |
| • | • | • | Storage bay lights |
| • | • | • | Trailer wiring |
| • | • | • | TV antenna electric with booster |
| • | • | • | TV outlet and 12v outlet in storage bay |
| • | • | • | Utility Station: Fresh water connection, phone connection, water fill switch, hot & cold water faucet, 120v receptacle & soap dispenser 50 amp shoreline connection, water pump switch, cable TV |
| • | • | * | Xenon low beam headlights |

COCKPIT FEATURES

COCKPIT FEATURES

| IH_45 | Phenix | Nimbus | Dash & Cockpit Features |
|--------------|---------------|---------------|------------------------------------|
| • | • | • | 12 volt accessory receptacle |

| IH_45 | Phenix | Nimbus | Dash & Cockpit Features |
|--------------|---------------|---------------|--|
| • | • | • | Battery boost switch |
| • | • | • | Camera, motorized back up with control at dash |
| • | • | • | Cameras, mirror mount w/ color back up monitor |
| • | • | • | CB at dash, hand held |
| • | • | • | Compass & outdoor temperature |
| | | • | Co pilot seat, Villa leather 6 way power w/ footrest |
| • | • | | Co pilot seat, Villa residential 6 way power w/footrest & headrest |
| • | • | • | Dash AC controls for co pilot |
| | | • | Gauges, backlit analogue |
| • | • | • | Generator auto start/stop |
| • | • | • | GPS/AM/FM/CD in dash |
| • | • | * | Monitor, passenger satellite/GPS |
| • | • | * | Map lights, pilot & copilot |
| • | • | • | MP3 input at dash |
| • | • | • | Pedals, throttle & brake power adjust |
| | | • | Pilot seat, Villa leather 6 way power |
| • | * | * | Pilot seat, Knoedler air ride |
| • | • | * | Silverleaf digital Glass Dash |
| | | • | Silverleaf VMS 440 (eng./trans. monitor) |
| • | • | • | Steering wheel, power tilt & telescoping |
| • | • | • | Steering wheel, Smart Wheel, w/Radio Controls |
| • | • | • | Transmission gear selector, touch pad |
| • | • | • | Windshield / privacy shade & sunblock, electric |

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

APPLIANCES/ELECTRONICS/LIGHTING/AUDIO VIDEO

| IH_45 | Phenix | Nimbus | Appliances Electronics Lighting Audio Video |
|--------------|---------------|---------------|--|
| • | • | • | Alarm Clock, built in bedroom |
| * | * | * | Battery charger, solar |
| • | • | • | Component audio & digital video cables |
| • | • | * | Cook top, 2 burner electric |
| * | * | • | Cook top, 2 burner LP w/electronic ignition (recessed) |
| • | • | • | Home theater speaker system in LR |
| • | • | * | DVD - Blue ray high def |
| | | • | DVD Player |
| • | * | * | Interior LED Lighting |
| • | • | • | Inverter/power monitor panel in living room area |
| • | • | * | LED Lighting, accent under counters & window trim |
| • | • | • | Lighting, floor lights |
| • | • | • | Lighting, Halogen reading lamps in bedroom |
| • | • | • | Microwave |
| • | • | * | Refrigerator, 120v electric w/ice & water in door |
| *(14cu ft.) | *(14cu ft.) | • | Refrigerator, Dometic side by side 12 cu. ft |
| * | * | * | Satellite radio, XM, SIRIUS |

| IH_45 | Phenix | Nimbus | Appliances Electronics Lighting Audio Video |
|--------------|---------------|---------------|--|
| | | • | Satellite system, in motion w/HD receiver |
| • | • | * | Satellite system, in motion w/ HD DVR receiver |
| • | • | * | Satellite system, 2nd HD receiver |
| * | * | * | Stadium Package |
| * | * | * | Stationary Satellite w/ HD receiver |
| • | • | | Siverleaf Total Coach monitor |
| • | • | • | Tire Pressure Sensors, Remote |
| • | • | • | TV antenna electric with booster |
| • | • | • | Washer/dryer connections |

LIVABILITY

LIVABILITY

| IH_45 | Phenix | Nimbus | Interior Livability Features |
|--------------|---------------|---------------|---|
| • | • | • | Powered step well cover with two switch locations |
| • | • | • | China toilet |
| • | • | • | Color coordinated throw pillows (sofa & bed) |
| • | • | • | Designer window treatment w/ electric day/night shades |
| • | • | • | Electric exhaust fan in bath & toilet room w/auto rain sensor |
| • | • | • | Filter, drinking water & ice maker water |
| • | * | * | Floor Heat, electric (with approved flooring) |
| • | • | • | Kitchen pantry |
| • | • | • | Lighting, multiplex system |
| • | • | • | Queen bed (60" x 77") (66" x 77" floorplan dependent) |
| * | * | * | King bed (72" x 77") (w / wo) Slumber Ease System |
| • | • | • | Slide out rooms, flush w/ sidewalls when retracted |
| • | • | • | Slide out rooms, pneumatic sealed |
| • | • | • | Natural Quartz countertops (kitchen & bath) |
| • | • | • | Natural Quartz desktop (floorplan dependent) |
| • | • | • | Natural Quartz dinette table |
| • | • | • | Natural Quartz nightstand tops |
| • | • | • | Stainless steel kitchen sink w/covers |
| • | • | • | Telephone jack in living area & bedroom |
| • | • | • (40 42) | Tile floor (kit, bath, D & P area) |
| • | • | • | Vacuum, built in |
| * | * | * | Washer dryer combination |
| * (FD) | * (FD) | * (FD) | Washer dryer, stacked |
| • | • | • | Wood, handcrafted cherry, walnut or maple cabinetry |
| * | * | | Wood, Bubinga cabinetry |
| * | * | * | Wood, African Mahogany cabinetry |
| * | * | | Laminate cabinetry |

SAFETY

SAFETY

| IH_45 | Phenix | Nimbus | Safety Features |
|-----------|-----------|--------|--|
| • | • | • | All coaches built to RVIA specifications |
| • | • | • | Carbon monoxide detector |
| • | • | • | Daytime running lights |
| • | • | • | Fire extinguishers (2) |
| • | • | • | GFI protected circuits |
| • | • | • | High mounted additional brake lights |
| • | • | • | Lighted entry door assist handle |
| • (w/ LP) | • (w/ LP) | • | LP leak detector |
| • | • | • | Electronic Safe |
| • | • | • | Security system |
| • | • | • | Smoke detector |

HEATING/COOLING/ELECTRICAL

HEATING/COOLING/ELECTRICAL

| IH_45 | Phenix | Nimbus | Heating Cooling Electrical |
|-----------|-----------|-----------|--|
| | | • (36 38) | 10kw diesel generator in quiet box |
| | | • (40 42) | 12.5kw diesel generator in quiet box |
| • | | | 20kw diesel generator in quiet box |
| • | • | • | 12 volt battery disconnect |
| 2 | 2 | • | 2800 w inverter/charger |
| • | • | • | 50 amp shoreline connection |
| • | • | • | Air conditioning & heating with hidden returns |
| | | • (36 38) | Air conditioning, ducted with 2 roof airs |
| • (40 42) | • (40 42) | • (40-42) | Air conditioning, ducted with 3 roof airs |
| • (45) | • (45) | • (45) | Air conditioning, ducted with 4 roof airs |
| • | • | • | Electrical surge suppression system |
| • | • | • | Heat pumps on roof AC's |
| • | • | • | Hydronic heating |
| • | • | • | Low battery generator auto start |

From:

<https://wiki.foreforums.com/> - Foretravel Wiki

Permanent link:

https://wiki.foreforums.com/through_the_years:specs:2013Last update: **2024/08/06 16:57**